



**JOHN DEERE**

# Selling Equipment

Quote Id: 19372549

Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):  
Deere & Company  
2000 John Deere Run  
Cary, NC.27513  
FED. ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:  
R. Argentó & Sons Inc.  
1 Prospect Avenue  
White Plains, NY 10607  
914-949-1152  
al@argentoandsons.com

<b>JOHN DEERE 1023E Sub-Compact Utility Tractor (15 PTO hp)</b>							
Contract: NY State Landscaping Grounds PC68131 (PG XN CG 22)						Suggested List*	
Price Effective Date: April 13, 2019						\$ 12,424.00	
						Selling Price*	
						\$ 10,187.68	
* Price per item - includes Fees and Non-contract items							
Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
025JLV	1023E Sub-Compact Utility Tractor (15 PTO hp)	1	\$ 12,424.00	18.00	\$ 2,236.32	\$ 10,187.68	\$ 10,187.68
<b>Standard Options - Per Unit</b>							
0202	United States	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
0409	English Operator's Manual	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
1795	Less Loader	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
4061	Less iMatch Quick Hitch Category 1	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
5204	26x12-12 (4PR, R4 Industrial, 1 Position)	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
6204	18x8.50-10 (4PR, R4 Industrial, 1 Position)	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
<b>Standard Options Total</b>			<b>\$ 0.00</b>		<b>\$ 0.00</b>	<b>\$ 0.00</b>	<b>\$ 0.00</b>
<b>Value Added Services Total</b>			<b>\$ 0.00</b>			<b>\$ 0.00</b>	<b>\$ 0.00</b>
<b>Suggested Price</b>						<b>\$ 10,187.68</b>	
<b>Total Selling Price</b>			<b>\$ 12,424.00</b>		<b>\$ 2,236.32</b>	<b>\$ 10,187.68</b>	<b>\$ 10,187.68</b>

<b>JOHN DEERE 47 In. Quick-Hitch Two-Stage Snow Blower</b>	
Contract: NY State Landscaping Grounds PC68131 (PG XN CG 22)	Suggested List* \$ 3,987.00
Price Effective Date: April 13, 2019	Selling Price* \$ 3,269.34
* Price per item - includes Fees and Non-contract items	



**JOHN DEERE**

# Selling Equipment

Quote Id: 19372549

Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):  
 Deere & Company  
 2000 John Deere Run  
 Cary, NC 27513  
 FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:  
 R. Argento & Sons Inc.  
 1 Prospect Avenue  
 White Plains, NY 10607  
 914-949-1152  
 al@argentoandsons.com

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
1474M	47 In. Quick-Hitch Two-Stage Snow Blower	1	\$ 2,179.00	18.00	\$ 392.22	\$ 1,786.78	\$ 1,786.78
<b>Standard Options - Per Unit</b>							
2012	Front Quick-Hitch and Hydraulic Lift	1	\$ 931.00	18.00	\$ 167.58	\$ 763.42	\$ 763.42
3016	2000 RPM Front PTO Kit	1	\$ 445.00	18.00	\$ 80.10	\$ 364.90	\$ 364.90
4014	Implement Drive and Upstop	1	\$ 432.00	18.00	\$ 77.76	\$ 354.24	\$ 354.24
<b>Standard Options Total</b>			<b>\$ 1,808.00</b>		<b>\$ 325.44</b>	<b>\$ 1,482.56</b>	<b>\$ 1,482.56</b>
<b>Suggested Price</b>							<b>\$ 3,269.34</b>
<b>Total Selling Price</b>			<b>\$ 3,987.00</b>		<b>\$ 717.66</b>	<b>\$ 3,269.34</b>	<b>\$ 3,269.34</b>

<b>JOHN DEERE 52 in. Quick-Hitch Rotary Broom</b>							
Contract: NY State Landscaping Grounds PC68131 (PG.XN CG 22)						Suggested List *	
Price Effective Date: April 13, 2019						\$ 2,761.00	
						Selling Price *	
						\$ 2,264.02	
* Price per item - includes Fees and Non-contract items							
Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
3880M	52 in. Quick-Hitch Rotary Broom	1	\$ 2,239.00	18.00	\$ 403.02	\$ 1,835.98	\$ 1,835.98
<b>Standard Options - Per Unit</b>							
1010	Less Front Quick-Hitch	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
2009	Hydraulic Angling	1	\$ 265.00	18.00	\$ 47.70	\$ 217.30	\$ 217.30
3010	Less 2000 RPM Front PTO	1	\$ 0.00	18.00	\$ 0.00	\$ 0.00	\$ 0.00
4000	Implement Drive Shaft	1	\$ 257.00	18.00	\$ 46.26	\$ 210.74	\$ 210.74
<b>Standard Options Total</b>			<b>\$ 522.00</b>		<b>\$ 93.96</b>	<b>\$ 428.04</b>	<b>\$ 428.04</b>
<b>Suggested Price</b>							<b>\$ 2,264.02</b>
<b>Total Selling Price</b>			<b>\$ 2,761.00</b>		<b>\$ 496.98</b>	<b>\$ 2,264.02</b>	<b>\$ 2,264.02</b>



**JOHN DEERE**

# Selling Equipment

Quote Id: 19372549    Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):  
Deere & Company  
2000 John Deere Run  
Cary, NC 27513  
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:  
R. Argento & Sons Inc.  
1 Prospect Avenue  
White Plains, NY 10607  
914-949-1152  
al@argentoandsons.com

ALLIED SNOWEX SP575X								
Hours: 0								Suggested List *
								\$ 2,899.00
								Selling Price*
								\$ 2,899.00
* Price per item - includes Fees and Non-contract items								
Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price	
SP575X	SNOWEX SP575X SPREADER	1	\$ 2,899.00	0.00	\$ 0.00	\$ 2,899.00	\$ 2,899.00	
<b>Suggested Price</b>							<b>\$ 2,899.00</b>	
<b>Total Selling Price</b>			<b>\$ 2,899.00</b>		<b>\$ 0.00</b>	<b>\$ 2,899.00</b>	<b>\$ 2,899.00</b>	

\* NJPA/SOURCEWELL CONTRACT WHICH THIS NYS OGS CONTRACT IS PIGGYBACKING ALLOWS FOR A SOURCED GOODS / NON-CONTRACT ITEM OPTION IN ORDER TO SATISFY AN AUTHORIZED USER'S REQUEST FOR A COMPLETE SOLUTION.



JOHN DEERE

# YOUR CONTRACT. YOUR QUOTE. YOUR HELP REQUESTED.

**Ensure your equipment arrives with no delay.  
Issue your Purchase Order or Letter of Intent.**

To expedite the ordering process, please include the following information in Purchase Order or Letter of Intent:

For any questions, please contact:

- Shipping address
- Billing address
- Vendor: John Deere Company  
2000 John Deere Run Cary,  
NC 27513
- Contract name and/or number
- Signature
- Tax exempt certificate, if applicable

Louis Argento

R. Argento & Sons Inc.  
1 Prospect Avenue  
White Plains, NY 10607

Tel: 914-949-1152

Fax: 914-948-0255

Email: [louis@argentoandsons.com](mailto:louis@argentoandsons.com)

The John Deere Government Sales Team

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)  
Equipment for Base Machine**

<p><b>ENGINE:</b> Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off</p> <p><b>TRANSMISSION:</b> Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock</p> <p><b>FRONT/REAR AXLE:</b> Flanged Rear Axle Spur Gear Final Drive</p> <p><b>4WD STEERING AND BRAKES:</b> Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p><b>HYDRAULICS:</b> Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter</p>	<p>Working Pressure (2000 PSI) Dual Mid SCV Standard</p> <p><b>PTO:</b> Mid PTO Standard Equipment Independent Mid and Rear PTO 540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield</p> <p><b>ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:</b> Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate</p> <p><b>INSTRUMENTATION:</b> Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator</p> <p><b>ELECTRICAL:</b> 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch</p> <p><b>LIGHTS:</b> Two Front Halogen Head Lights Two Flashing Warning Lights</p> <p><b>OPERATOR PROTECTIVE STRUCTURE:</b></p>	<p>Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Seat Belt Operator Presence System</p> <p><b>MISCELLANEOUS:</b> SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment</p> <p><b>BASE MACHINE (4WD):</b> Engage on the go 4WD 26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels &amp; Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels &amp; Tires Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM</p> <p><b>MID-MOUNT LIFT SYSTEM:</b> Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage</p>
---	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

025JLV		1023E Sub-Compact Utility Tractor (15 PTO hp)	12,424.00
--------	--	---	-----------

**DESTINATION**

0184	Canada		No Added Cost
0205	Quebec		No Added Cost
0202	United States		In Base Price

**OPERATOR'S MANUAL**

0409		English Operator's Manual	In Base Price
------	--	---------------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**  
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable
47 In. Clearing Width "Straight"	Scraper Blade
15.5 In. Diameter Impeller	Four Extra Shear Bolts "Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M	47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i> <i>BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors.</i> <i>Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i> <i>See Sales Manual for ballast requirements.</i>	2,179.00
-------	---	----------

**FRONT QUICK-HITCH**

2000	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	654.00
2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors.</i> <i>Also requires LVB25396 front attaching support.</i>	672.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
2013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i>  <i>Includes BLV10680 front attaching support kit.</i>	941.00
2012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>  <i>Includes BLV10796 front attaching support kit.</i>	931.00
2010	Less Front Quick-Hitch	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	242.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	289.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	273.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	227.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	379.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>  <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	432.00
4010		Less Implement Drive and Upstop	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
 Equipment for Base Machine

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive (2) Adjustable Rear Mounting Caster Wheels
48 In. (1,219 mm) Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear Bolts "Mounted to Shell"
21 In. (533 mm) Diameter Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Davenport, Iowa</i>			
3880M		52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors.</i> <i>BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors.</i> <i>Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit.</i> <i>Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,239.00

**FRONT QUICK-HITCH**

1000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	632.00
1012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>  <i>Includes BLV10796 front attaching support kit.</i>	931.00
1005		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	672.00
1006		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	734.00
1013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i>  <i>Includes BLV10680 front attaching support kit.</i>	941.00
1010		Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING**

2000		Hydraulic Angling	194.00
------	--	-------------------	--------



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>HYDRAULIC ANGLING Continued...</b> <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	203.00
2009		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	265.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	196.00
2010		Less Hydraulic Angling	In Base Price

**FRONT POWER TAKE-OFF (PTO)**

3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	266.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	266.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	289.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	266.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	363.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	273.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. <a href="http://dtac.deere.com/Solutions/English/111853.htm">http://dtac.deere.com/Solutions/English/111853.htm</a></i>	445.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	344.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	344.00

**IMPLEMENT DRIVE SHAFT**

4000		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	257.00
4006		Implement Drive Shaft <i>For model year 2017- 2025R.</i>	285.00