

SALES PROPOSAL

Date 11/12/19



KOMPAN, INC. * 605 W Howard Lane Ste 101, Austin, TX 78753 * Tel 1-800-426-9788 * Fax 1-866-943-6254 * www.kompan.com



750017

Proposal No. SP70326
Project Museum School
Ship to State/Zip NY 10701
Customer Service Representative Sales Representative Payment Terms 12/31/19
SP70326
Museum School
NY 10701
Shannan Ruiz
Jeff Stowe
DEP50%&N30

Site Location:

Museum School
579 Warburton Avenue
Yonkers, 10701
United States

Invoice-to: 750017
Yonkers Public Schools
One Larkin Plaza
Yonkers, NY 10701
United States
Bela Hershkowitz

Ship-to: Museum School 579 Warburton Avenue Yonkers, NY 10701

United States

Qty.	Item No.	Description	Unit Price	Retail Price	Disc. %	Net Price
		U.S. Communities Contract #2017001135				
1	PCE110800-0902	SILBERHORN,IG	57,800.00	57,800.00	20.00	46,240.00
1	KPL123-0201	WHEELCHAIR CAROUSEL,IG	10,380.00	10,380.00	20.00	8,304.00
1	FRE3024-3717	BASKET, Metal,IG	1,700.00	1,700.00	20.00	1,360.00
1	PCM804-0902	HAMMOCK,IG	1,300.00	1,300.00	20.00	1,040.00
1	M21102-3417P	AGE APPROPRIATE SIGN, IG, 5-12 Years	440.00	440.00	20.00	352.00
1	FRT-KOMPAN INC	Freight from KOMPAN Inc	3,209.86	3,209.86		3,209.86
1	CUSTOMINSTALL	Install of KOMPAN Equipment above with additional GXY8014 (previously purchased) into existing asphalt includes disposal fee.	23,600.78	23,600.78	5.00	22,420.74
1	CUSTOM- SURFACI	Provide and install over existing asphalt, up to 2366 sf of PIP, up to 3.5" for up to an 8' fall, with turned down edges, 50% black/ 50% standard color, with aromatic	48,321.42	48,321.42	10.00	43,489.28
	Contir	nued on page 2				126,415.88

Continued from page 1
binder, includes security and disposal fees.

126,415.88

Total 126,415.88

Comments:

Please read attached General Assumptions and Exclusion document for information on install/sitework.

Please allow 12-14 weeks for product delivery upon order placement.

This proposal includes Prevailing Wage.

Summary:

•	Retail Price	Discount	Net Price
Subtotal - KOMPAN Products	71,620.00	14,324.00	57,296.00
Subtotal - Other Products	0.00	0.00	0.00
Subtotal - Surfacing	48,321.42	4,832.14	43,489.28
Subtotal - Installation & Other Services	23,600.78	1,180.04	22,420.74
Subtotal - Freight	3,209.86	0.00	3,209.86
Subtotal	146,752.06	20,336.18	126,415.88
	(Applicable sales tax will be added unless a valid tax exemption certificate is provided. This amount is only an estimate of your tax liability.)		
Estimated Tax Rate	provided. This amount is only an estimate of your tax if	ability.)	0.00
Total			126,415.88

Your acceptance of this proposal constitutes a valid order request and	KOMPAN Authorized Signature:
includes acceptance of terms and conditions contained within the Master	
Argeement, which is hereby acknowledged. Acceptance of this proposal by	Accepted By (signature):
KOMPAN is acknowledged by issuance of an order confirmation by an	
authorized KOMPAN representative. Prices in this quotation are good for 60	Accepted By (please print):
days.	
This proposal may be withdrawn if not accepted by 12/31/19.	Date:
KOMPAN Products are "Buy American" qualified, and compliant with the Buy	
American Act of 1933 and the "Buy American" provision of the ARRA of 2009.	



General Assumptions: (Unless Explicitly Stated in KOMPAN Sales Proposal):

- Pricing is based on all equipment being direct delivery to the project address identified in KOMPANs Sales Proposal (SP).
- Placement of order into fabrication is contingent with deposit being received by KOMPAN as agreed to during the pricing phase.
- If cost proposal is to be considered as Tax-Exempt a current tax exemption form must be provided or on file at KOMPAN main office.
- Customer shall provide a lay down area for deliveries of materials within proximity of final
 installation site. Site access must be clear and unobstructed with at least ten (10') foot wide
 access to allow delivery of materials. Any size restrictions contributing to additional handling or
 downsizing of deliver trucks shall be addressed as a change of conditions and will be invoiced as
 additional costs to the customer.
- Installation site must be level to no more than one (1") inch in then (10') feet slope or change in elevation over the full length and width of the playground area.
- Price assumes NO overhead obstructions within thirteen feet, six inches (13'-6") or lower and NO underground utilities or obstructions within the playground footprint.
- Soils are to be suitable for the installation of all playground equipment and surfacing and compacted to 95% compaction prior to installation crews arriving on-site.
- All underground utilities, boulders, rock ledge or other obstructions not visible without subsurface investigation shall be considered "unforeseen conditions", all costs shall be invoiced to the customer as a change order to the contract.
- All spoils generated during the excavation of footings shall be disposed of on site at no cost to KOMPAN.
- Customer to provide at no additional costs a 120 V (15 amp) power source and standard hose bib connection for water supply within one hundred (100') feet from work site.
- Customer shall have removed all existing equipment or obstacles from playground area prior to the arrival of the installation crews.
- Time is of the essence in the installation of all materials delivered to project site. KOMPAN shall
 have delivered all equipment and materials as scheduled to project site. If delays to the
 installation schedule accrue outside KOMPANs control equipment shall be delivered to project
 site as scheduled and equipment and materials invoiced at the time of delivery. Unless
 additional storage arrangements are made in writing between Customer and KOMPAN,
 additional costs may apply.
- Unloading of equipment and materials shall be performed by the installation crews at the time of installation. If site is not ready for installation by cause outside of KOMPAN, it will be the responsibility of the Customer to off load and store equipment and materials at the project site. KOMPAN shall not be held liable for offloading costs, storage fees or equipment damage.

- If site requires installation of a drainage system within the proposed playground area, playground equipment footing shall be installed prior to the installation of the drainage system and playground footing locations shall take precedence over drainage system requirements.
- Site layout and dimensions shall be based of KOMPANs 2D drawing or CAD drawings. Customer to provide site "bench mark" to be used for layout and final elevation calculations.
- Unless otherwise noted on KOMPAN's SP, proposal assumes that there are no Prevailing Wages requirement on the project.
- Any additional costs which maybe incurred during installation shall be negotiated between Customer and KOMPAN in writing prior to the start of additional work. If written approval is not received during the time the installation crews are on-site, additional mobilization costs will apply.

Exclusions (Unless Explicitly Stated in KOMPAN Sales Proposal):

- Stamped engineered drawings/calculations or costs to secure permits are not included, if required these costs will be added as a change order payable to Kompan.
- Demolition and off-site disposal of any existing equipment or site amenities.
- Any sitework, including but not limited to grading, excavation outside playground equipment footing and soils compaction and testing.
- Concrete work outside of play equipment footing requirements.
- Relocation of any existing equipment.
- Any required drainage system for playground area.
- Third party testing of materials and playground installation.
- Site landscaping or trimming of vegetation encroaching within the play equipment and safety zones.
- Play area surfacing and base materials if not noted in KOMPAN proposal.
- Installation of Poured in Place surfacing does not include the use of aliphatic binder, solid or custom colors.
- Site security during Poured in Place surfacing cure time and any vandalism which may accrue during surfacing cure time.
- Borders for play area surfacing containment.
- Any required retaining walls for proposed play area.
- Site storage for equipment.
- Site safety fencing beyond standard four (4') foot orange construction fencing.
- Utilities site location services and/or relocation of any underground utilities.
- On site dumpster for disposal of shipping containers and general construction debris.
- If applicable, primary electrical service, such as connection of primary power to KOMPANs ICON server box. Primary power is to be terminated within ICON server box by a licensed electrician.